

## SAFETY DATA SHEET

**STAN-TONE DB-34271 HL9 Dark Forest Beige**

Version Number 1.1  
Revision Date 03/04/2016

Page 1 of 13  
Print Date 04/06/2016

# SAFETY DATA SHEET

## STAN-TONE DB-34271 HL9 Dark Forest Beige

### Section 1. Identification

GHS product identifier : STAN-TONE DB-34271 HL9 Dark Forest Beige  
 Chemical name : Mixture  
 CAS number : Mixture  
 Other means of identification : FO20030370  
 Product type : solid

#### Relevant identified uses of the substance or mixture and uses advised against

Supplier's details : **GSDI Specialty Dispersions, Inc.**  
 1675 Navarre Road SW, Massillon,  
 Ohio USA 44646

1 330 837 8679

Emergency telephone number (with hours of operation) : CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

### Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status :

Classification of the substance or mixture :

#### GHS label elements

Signal word : No signal word.  
 Hazard statements : No known significant effects or critical hazards.

#### Precautionary statements

## SAFETY DATA SHEET

**STAN-TONE DB-34271 HL9 Dark Forest Beige**

Version Number 1.1  
Revision Date 03/04/2016

Page 2 of 13  
Print Date 04/06/2016

General :  
Prevention :  
Response :  
Storage :  
Disposal :  
Supplemental label elements :  
Hazards not otherwise classified : Not available.

<b>Section 3. Composition/information on ingredients</b>
--

Substance/mixture :  
Chemical name : Mixture  
Other means of identification : FO20030370

CAS number/other identifiers

Ingredient name	%	CAS number
Iron oxide	24.4623	1309-37-1
Carbon black	12.6896	1333-86-4
Titanium dioxide	12.1632	13463-67-7
Calcium carbonate	5.3108	1317-65-3
Silica, amorphous	1.7483	7631-86-9
Barium sulfate	1.6308	7727-43-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

**There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.**

**Occupational exposure limits, if available, are listed in Section 8.**

## SAFETY DATA SHEET

**STAN-TONE DB-34271 HL9 Dark Forest Beige**

Version Number 1.1  
Revision Date 03/04/2016

Page 3 of 13  
Print Date 04/06/2016

## Section 4. First aid measures

### Description of necessary first aid measures

Eye contact :  
Inhalation :  
Skin contact :  
Ingestion :

### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

Eye contact :  
Inhalation :  
Skin contact :  
Ingestion :

#### Over-exposure signs/symptoms

Eye contact :  
Inhalation :  
Skin contact :  
Ingestion :

### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician :  
Specific treatments :  
  
Protection of first-aiders :

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

### Extinguishing media

Suitable extinguishing media :  
Unsuitable extinguishing media :

Specific hazards arising from the chemical :  
Hazardous thermal :

**SAFETY DATA SHEET**

**STAN-TONE DB-34271 HL9 Dark Forest Beige**

Version Number 1.1  
 Revision Date 03/04/2016

Page 4 of 13  
 Print Date 04/06/2016

decomposition products

Special protective actions for fire-fighters :  
 Special protective equipment for fire-fighters :

**Section 6. Accidental release measures**

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel :  
 For emergency responders :

Environmental precautions :

Methods and materials for containment and cleaning up

Small spill :  
 Large spill :

**Section 7. Handling and storage**

Precautions for safe handling

Protective measures :  
 Advice on general occupational hygiene :

Conditions for safe storage, including any incompatibilities :

**Section 8. Exposure controls/personal protection**

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Barium sulfate	<b>OSHA PEL 1989 (1989-03-01)</b> PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust <b>PEL: Permissible Exposure Level 5 mg/m3</b> Form: Respirable fraction

**SAFETY DATA SHEET**

**STAN-TONE DB-34271 HL9 Dark Forest Beige**

Version Number 1.1  
 Revision Date 03/04/2016

Page 5 of 13  
 Print Date 04/06/2016

	<p><b>OSHA PEL (1993-06-30)</b>                  PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust  <b>PEL: Permissible Exposure Level 5 mg/m3</b> Form: Respirable fraction</p> <p><b>NIOSH REL (1994-06-01)</b>                  Time Weighted Average (TWA) 10 mg/m3 Form: Total  <b>Time Weighted Average (TWA) 5 mg/m3</b> Form: Respirable fraction</p> <p><b>ACGIH TLV (2014-04-15)</b>                  TLV-TWA: Threshold Limit Value - Time weighted average PEL:                  Permissible Exposure Level 5 mg/m3 Form: Inhalable fraction</p>
<p>Calcium carbonate</p>	<p><b>OSHA PEL 1989 (1989-03-01)</b>                  PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust  <b>PEL: Permissible Exposure Level 5 mg/m3</b> Form: Respirable fraction</p> <p><b>PEL: Permissible Exposure Level 15 mg/m3</b> Form: Total dust  <b>PEL: Permissible Exposure Level 5 mg/m3</b> Form: Respirable fraction</p> <p><b>PEL: Permissible Exposure Level 15 mg/m3</b> Form: Total dust  <b>PEL: Permissible Exposure Level 5 mg/m3</b> Form: Respirable fraction</p> <p><b>OSHA PEL (1993-06-30)</b>                  PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust  <b>PEL: Permissible Exposure Level 5 mg/m3</b> Form: Respirable fraction</p> <p><b>PEL: Permissible Exposure Level 15 mg/m3</b> Form: Total dust  <b>PEL: Permissible Exposure Level 5 mg/m3</b> Form: Respirable fraction</p> <p><b>NIOSH REL (1994-06-01)</b>                  Time Weighted Average (TWA) 10 mg/m3 Form: Total  <b>Time Weighted Average (TWA) 5 mg/m3</b> Form: Respirable fraction</p>
<p>Carbon black</p>	<p><b>OSHA PEL 1989 (1989-03-01)</b>                  PEL: Permissible Exposure Level 3.5 mg/m3</p> <p><b>OSHA PEL (1993-06-30)</b>                  PEL: Permissible Exposure Level 3.5 mg/m3</p> <p><b>NIOSH REL (1994-06-01)</b>                  Time Weighted Average (TWA) 3.5 mg/m3  <b>Time Weighted Average (TWA)</b></p> <p><b>ACGIH TLV (2010-12-06)</b>                  TLV-TWA: Threshold Limit Value - Time weighted average PEL:                  Permissible Exposure Level 3 mg/m3 Form: Inhalable fraction</p>

**SAFETY DATA SHEET**

**STAN-TONE DB-34271 HL9 Dark Forest Beige**

Version Number 1.1  
 Revision Date 03/04/2016

Page 6 of 13  
 Print Date 04/06/2016

Iron oxide	<p><b>OSHA PEL 1989 (1989-03-01) expressed as Fe</b>                  Short Term Exposure Limit value for a 15-minute reference period expressed in parts per million or in mg/m3. 10 ppm Form: total particulates</p> <p><b>OSHA PEL 1989 (1989-03-01)</b>                  PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust  <b>PEL: Permissible Exposure Level 5 mg/m3</b> Form: Respirable fraction</p> <p><b>OSHA PEL (1993-06-30)</b>                  PEL: Permissible Exposure Level 10 mg/m3</p> <p><b>NIOSH REL (1994-06-01) expressed as Fe</b>                  Time Weighted Average (TWA) 5 mg/m3 Form: Dust and fumes</p> <p><b>NIOSH REL (1994-06-01)</b></p> <p><b>ACGIH TLV (2005-12-09)</b>                  TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 5 mg/m3 Form: Respirable fraction</p>
Silica, amorphous	<p><b>NIOSH REL (1994-06-01)</b>                  Time Weighted Average (TWA) 6 mg/m3</p>
Titanium dioxide	<p><b>OSHA PEL 1989 (1989-03-01)</b>                  PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust</p> <p><b>OSHA PEL (1993-06-30)</b>                  PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust</p> <p><b>NIOSH REL (1994-06-01)</b></p> <p><b>ACGIH TLV (1996-05-18)</b>                  TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 10 mg/m3</p>

**Appropriate engineering controls :**  
**Environmental exposure controls :**

**Individual protection measures**

**Hygiene measures :**  
**Eye/face protection :**

**Skin protection**

**Hand protection :**  
**Body protection :**  
**Other skin protection :**

## SAFETY DATA SHEET

**STAN-TONE DB-34271 HL9 Dark Forest Beige**

Version Number 1.1  
Revision Date 03/04/2016

Page 7 of 13  
Print Date 04/06/2016

Respiratory protection :

## Section 9. Physical and chemical properties

### Appearance

Physical state	:	solid [Powder.]
Color	:	BROWN
Odor	:	Not available.
Odor threshold	:	Not available.
pH	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive (flammable) limits	:	<b>Lower:</b> Not available. <b>Upper:</b> Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	Not available.
Partition coefficient: n-octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	<b>Dynamic:</b> Not available. <b>Kinematic:</b> Not available.

## Section 10. Stability and reactivity

Reactivity	:	
Chemical stability	:	
Possibility of hazardous reactions	:	
Conditions to avoid	:	
Incompatible materials	:	
Hazardous decomposition products	:	

## Section 11. Toxicological information

## SAFETY DATA SHEET

**STAN-TONE DB-34271 HL9 Dark Forest Beige**

Version Number 1.1  
Revision Date 03/04/2016

Page 8 of 13  
Print Date 04/06/2016

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Information on toxicological effects****Acute toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
Carbon black	LD50 Oral	Rat	15,400 mg/kg	-
Iron oxide				
Silica, amorphous				
Titanium dioxide	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-

**Conclusion/Summary** : Mixture.Not fully tested.

**Irritation/Corrosion**

Product/ingredient name	Result	Species	Score	Exposure	Observation
Titanium dioxide	Skin - Mild irritant	Human		72 hrs	-

**Conclusion/Summary**

**Skin** : Mixture.Not fully tested.  
**Eyes** : Mixture.Not fully tested.  
**Respiratory** : Mixture.Not fully tested.

**Sensitization****Conclusion/Summary**

**Skin** : Mixture.Not fully tested.  
**Respiratory** : Mixture.Not fully tested.

**Mutagenicity**

**Conclusion/Summary** : Mixture.Not fully tested.

**Carcinogenicity**

**Conclusion/Summary** : Mixture.Not fully tested.

**Classification**

Product/ingredient name	OSHA	IARC	NTP
Carbon black		2B	



## SAFETY DATA SHEET

**STAN-TONE DB-34271 HL9 Dark Forest Beige**

Version Number 1.1  
Revision Date 03/04/2016

Page 9 of 13  
Print Date 04/06/2016

Iron oxide		3
Silica, amorphous		3
Titanium dioxide		2B

**Reproductive toxicity**

**Conclusion/Summary** : Mixture. Not fully tested.

**Teratogenicity**

**Conclusion/Summary** : Mixture. Not fully tested.

**Specific target organ toxicity (single exposure)****Specific target organ toxicity (repeated exposure)****Aspiration hazard**

**Information on the likely routes of exposure** : Not available.

**Potential acute health effects**

**Eye contact** :  
**Inhalation** :  
**Skin contact** :  
**Ingestion** :

**Symptoms related to the physical, chemical and toxicological characteristics**

**Eye contact** :  
**Inhalation** :  
**Skin contact** :  
**Ingestion** :

**Delayed and immediate effects and also chronic effects from short and long term exposure****Short term exposure**

**Potential immediate effects** : Not available.  
**Potential delayed effects** : Not available.

**Long term exposure**

**Potential immediate effects** : Not available.  
**Potential delayed effects** : Not available.

## SAFETY DATA SHEET

**STAN-TONE DB-34271 HL9 Dark Forest Beige**

Version Number 1.1  
Revision Date 03/04/2016

Page 10 of 13  
Print Date 04/06/2016

Potential chronic health effects

**Conclusion/Summary** : Mixture. Not fully tested.

**General** :  
**Carcinogenicity** :  
**Mutagenicity** :  
**Teratogenicity** :  
**Developmental effects** :  
**Fertility effects** :

Numerical measures of toxicityAcute toxicity estimates

Not available.

**Section 12. Ecological information**Toxicity

Product/ingredient name	Result	Species	Exposure
Barium sulfate			
	Acute EC50 32,000 µg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute EC50 634 mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
Carbon black			
	Acute EC50 37.563 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute LC50 61.547 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
Titanium dioxide			
	Acute LC50 > 1,000,000 µg/l Marine water	Fish - Fish	96 h
	Acute LC50 > 1,000 mg/l Fresh water	Fish - Fish	96 h
	Acute LC50 13 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute LC50 6.5 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute LC50 3 mg/l Fresh water	Aquatic invertebrates.	48 h

**SAFETY DATA SHEET****STAN-TONE DB-34271 HL9 Dark Forest Beige**

Version Number 1.1  
Revision Date 03/04/2016

Page 11 of 13  
Print Date 04/06/2016

		Crustaceans	
	Acute LC50 15.9 mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
	Acute LC50 3.6 mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
	Acute LC50 11 mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
	Acute LC50 13.4 mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
	Acute EC50 27.8 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute EC50 19.3 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute EC50 35.306 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h

**Conclusion/Summary** : Not available.

**Persistence and degradability**

**Conclusion/Summary** : Not available.

**Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Titanium dioxide		352.00	low

**Mobility in soil**

**Soil/water partition coefficient (KOC)** : Not available.

**Other adverse effects** :

**Section 13. Disposal considerations****Section 14. Transport information**

U.S. DOT Classification : Not regulated for transportation.

ICAO/IATA : Consult mode specific transport rules

## SAFETY DATA SHEET

**STAN-TONE DB-34271 HL9 Dark Forest Beige**

Version Number 1.1  
Revision Date 03/04/2016

Page 12 of 13  
Print Date 04/06/2016

IMO/IMDG (maritime) : Consult mode specific transport rules

<b>Section 15. Regulatory information</b>
---

U.S. Federal regulations :  
DEA List I Chemicals (Precursor :  
Chemicals)  
DEA List II Chemicals (Essential :  
Chemicals)

US. EPA CERCLA Hazardous Substances (40 CFR 302)SARA 311/312

Classification : Acute Health Hazard  
Chronic Health Hazard

Composition/information on ingredients

Name	%	Classification
Carbon black	12.6896	CH
Titanium dioxide	12.1632	F

SARA 313

Not applicable.

State regulationsInternational regulations

International lists :  
Chemical Weapons Convention :  
List Schedule I Chemicals  
Chemical Weapons Convention :  
List Schedule II Chemicals  
Chemical Weapons Convention :  
List Schedule III Chemicals

<b>Section 16. Other information</b>
--------------------------------------

History

**SAFETY DATA SHEET****STAN-TONE DB-34271 HL9 Dark Forest Beige**

Version Number 1.1  
Revision Date 03/04/2016

Page 13 of 13  
Print Date 04/06/2016

<b>Date of printing</b>	:	04/06/2016
<b>Date of issue/Date of revision</b>	:	03/04/2016
<b>Date of previous issue</b>	:	11/07/2012
<b>Version</b>	:	1.1
<b>Key to abbreviations</b>	:	ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations
<b>References</b>	:	Not available.

**Notice to reader**

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.